



## AC-Com Cable

Description ( รายละเอียด )	Part Number ( รหัสสินค้า )	Length ( M ) ( ความยาว )	Unit Price ( ราคา )
CM : AC Com Cable Plug Male to Female 1mm2 	CMAC1-1	1	230.00
	CMAC1-1.5	1.5	245.00
	CMAC1-2	2	260.00
	CMAC1-3	3	290.00
	CMAC1-5	5	350.00


## CABLE STRUCTURE , TECHNICAL DATA




Conductor	: Flexible annealed copper wire Sizes. 1mm2
Insulation	: Polyvinyl chloride ( PVC )
Sheath	: Black polyvinyl chloride ( PVC/ST5 )
Classification	: Maximun Conductor temperature 70°C : Circuit Voltage not exceeding 300/500 Volts

Description ( รายละเอียด )	Part Number ( รหัสสินค้า )	Length ( M ) ( ความยาว )	Unit Price ( ราคา )
CM : AC Com Cable Plug Male to Female 1.5mm2 	CMAC15-1	1	240.00
	CMAC15-1.5	1.5	255.00
	CMAC15-2	2	275.00
	CMAC15-3	3	315.00
	CMAC15-5	5	390.00


## CABLE STRUCTURE , TECHNICAL DATA



Conductor	: Flexible annealed copper wire Sizes. 1.5mm2
Insulation	: Polyvinyl chloride ( PVC )
Sheath	: Black polyvinyl chloride ( PVC/ST5 )
Classification	: Maximun Conductor temperature 70°C : Circuit Voltage not exceeding 300/500 Volts


Description ( รายละเอียด )	Part Number ( รหัสสินค้า )	Length ( M ) ( ความยาว )	Unit Price ( ราคา )
CM : AC Com Cable Plug Male to Female 2.5mm2 	CMAC25-1	1	250.00
	CMAC25-1.5	1.5	290.00
	CMAC25-2	2	320.00
	CMAC25-3	3	375.00
	CMAC25-5	5	490.00

## CABLE STRUCTURE , TECHNICAL DATA



Conductor	: Flexible annealed copper wire Sizes. 2.5mm2
Insulation	: Polyvinyl chloride ( PVC )
Sheath	: Black polyvinyl chloride ( PVC/ST5 )
Classification	: Maximun Conductor temperature 70°C : Circuit Voltage not exceeding 300/500 Volts


## AC Studio Cable

Description ( រាងស្រទាប់ )	Part Number ( រត្តិស៊ីណូ )	Length ( M ) ( គម្រោង )	Unit Price ( រាត )
CM : AC Cable Plug Male to Female 1.5mm2 	CMAS-1	1	240.00
	CMAS-1.5	1.5	255.00
	CMAS-2	2	275.00
	CMAS-3	3	315.00
	CMAS-5	5	390.00


### CABLE STRUCTURE , TECHNICAL DATA



Conductor	: Flexible annealed copper wire Sizes. 1.5mm2
Insulation	: Polyvinyl chloride ( PVC )
Sheath	: Black polyvinyl chloride ( PVC/ST5 )
Classification	: Maximun Conductor temperature 70°C : Circuit Voltage not exceeding 300/500 Volts


Description ( រាងស្រទាប់ )	Part Number ( រត្តិស៊ីណូ )	Length ( M ) ( គម្រោង )	Unit Price ( រាត )
CM : AC Cable Plug Male to Female 2.5mm2 	CMAS25-1	1	250.00
	CMAS25-1.5	1.5	290.00
	CMAS25-2	2	320.00
	CMAS25-3	3	375.00
	CMAS25-5	5	490.00

### CABLE STRUCTURE , TECHNICAL DATA



Conductor	: Flexible annealed copper wire Sizes. 2.5mm2
Insulation	: Polyvinyl chloride ( PVC )
Sheath	: Black polyvinyl chloride ( PVC/ST5 )
Classification	: Maximun Conductor temperature 70°C : Circuit Voltage not exceeding 300/500 Volts


## AC Studio with Legrand Connector Cable

Description ( รายละเอียด )	Part Number ( รหัสสินค้า )	Length ( M ) ( ความยาว )	Unit Price ( ราคา )
CM : AC Cable Legrand Plug Male to Female 1.5mm2 	CMAL-1	1	360.00
	CMAL-1.5	1.5	380.00
	CMAL-2	2	400.00
	CMAL-3	3	435.00
	CMAL-5	5	510.00

### CABLE STRUCTURE , TECHNICAL DATA




Conductor	: Flexible annealed copper wire Sizes. 1mm2
Insulation	: Polyvinyl chloride ( PVC )
Sheath	: Black polyvinyl chloride ( PVC/ST5 )
Classification	: Maximun Conductor temperature 70°C : Circuit Voltage not exceeding 300/500 Volts

Description ( รายละเอียด )	Part Number ( รหัสสินค้า )	Length ( M ) ( ความยาว )	Unit Price ( ราคา )
CM : AC Cable Legrand Male to Female 2.5mm2 	CMAL25-1	1	380.00
	CMAL25-1.5	1.5	410.00
	CMAL25-2	2	440.00
	CMAL25-3	3	495.00
	CMAL25-5	5	610.00


### CABLE STRUCTURE , TECHNICAL DATA



Conductor	: Flexible annealed copper wire Sizes. 2.5mm2
Insulation	: Polyvinyl chloride ( PVC )
Sheath	: Black polyvinyl chloride ( PVC/ST5 )
Classification	: Maximun Conductor temperature 70°C : Circuit Voltage not exceeding 300/500 Volts


Description ( รายละเอียด )	Part Number ( รหัสสินค้า )	Length ( M ) ( ความยาว )	Unit Price ( ราคา )
CM : AC Y-Cable Plug Male to 2/Female 1.5mm2 	CMASY15-1	1	490.00
	CMASY15-1.5	1.5	510.00
	CMASY15-2	2	540.00
	CMASY15-3	3	580.00
	CMASY15-5	5	680.00

### CABLE STRUCTURE , TECHNICAL DATA



Conductor	: Flexible annealed copper wire Sizes. 1.5mm2
Insulation	: Polyvinyl chloride ( PVC )
Sheath	: Black polyvinyl chloride ( PVC/ST5 )
Classification	: Maximun Conductor temperature 70°C : Circuit Voltage not exceeding 300/500 Volts

## AC Y-Cable ( Male to 2 / Female )


Description ( รายละเอียด )	Part Number ( รหัสสินค้า )	Length ( M ) ( ความยาว )	Unit Price ( ราคา )
CM : AC Y-Cable Plug Male to 2/Female 2.5mm2 	CMASY25-1	1	520.00
	CMASY25-1.5	1.5	550.00
	CMASY25-2	2	640.00
	CMASY25-3	3	695.00
	CMASY25-5	5	820.00


### CABLE STRUCTURE , TECHNICAL DATA



■ LINE ( L )  
 ■ NEUTRAL ( N )  
 ■ GROUND ( ↓ )

**Conductor** : Flexible annealed copper wire Sizes. 2.5mm2  
**Insulation** : Polyvinyl chloride ( PVC )  
**Sheath** : Black polyvinyl chloride ( PVC/ST5 )  
**Classification** : Maximun Conductor temperature 70°C  
 : Circuit Voltage not exceeding 300/500 Volts

Description ( รายละเอียด )	Part Number ( รหัสสินค้า )	Length ( M ) ( ความยาว )	Unit Price ( ราคา )
CM : AC Power Y Cable IP44 3 Port Male to 2 Female 16A / 230 V 	CMYS3C16	1	965.00

Description ( รายละเอียด )	Part Number ( รหัสสินค้า )	Length ( M ) ( ความยาว )	Unit Price ( ราคา )
CM : AC Power Y Cable IP44 3 Port Male to 2 Female 32A / 230 V 	CMYS3C32	1	1,290.00




## AC Multicore Cable with Legrand

Description : CM-AC Multicores 6 Cores , 2.5mm<sup>2</sup> with Legrand Plug Male to Female



Part Number ( รหัสสินค้า )	Length ( M ) ( ความยาว )	Unit Price ( ราคา )
CMA6MCMF-15	15	7,860.00
CMA6MCMF-20	20	9,560.00
CMA6MCMF-25	25	11,260.00
CMA6MCMF-30	30	12,960.00
CMA6MCMF-40	40	16,360.00
CMA6MCMF-50	50	19,760.00



ELECTRICAL CHARACTERISTICS	
Conductor resistance at 20°C Maximun ( Ω/km )	7.98
Insulation resistance at 70°C Minimun ( MΩ-km )	0.0081
CABLE STRUCTURE , TECHNICAL DATA	
Conductor	: Flexible annealed copper wire Sizes. 0.5mm <sup>2</sup> up to 6 mm <sup>2</sup>
Insulation	: Polyvinyl chloride ( PVC )
Shield	: Copper tape
Sheath	: Black polyvinyl chloride ( PVC )
Classification	: Maximun Conductor temperature 70°C : Circuit Voltage not exceeding 600 Volts

## AC-Socapex Extension Cable with Legrand

Description : AC – Socapex Extension Cable 6 Cores , 2.5mm<sup>2</sup> with Legrand Plug Male to Female  
 - Muti - Fan Out Cable 3Cx2.5/2.5mm<sup>2</sup>x6 , 19 Pin in Plug - 16A/6 Male , 2 M  
 - Muti - Fan Out Cable 3Cx2.5/2.5mm<sup>2</sup>x6 , 19 Pin in Plug - 16A/6 Female , 2 M



Part Number ( รหัสสินค้า )	Length ( M ) ( ความยาว )	Unit Price ( ราคา )
CMA6EX6-15	15	20,000.00
CMA6EX6-20	20	22,200.00
CMA6EX6-25	25	23,900.00
CMA6EX6-30	30	25,600.00
CMA6EX6-40	40	29,000.00
CMA6EX6-50	50	32,400.00

